

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. CONTRACT ID CODE	PAGE OF PAGES 1   2
2. AMENDMENT/MODIFICATION NO. <b>PR-R7-03-10050/0002</b>		3. EFFECTIVE DATE <b>April 24, 2003</b>	4. REQUISITION/PURCHASE REQ. NO. <b>PR-R7-03-10050</b>	5. PROJECT NO. (If applicable)
6. ISSUED BY <b>US EPA PLMG/RFMB/AAMS 901 North 5th Street Kansas City, KS 66101</b>		CODE	7. ADMINISTERED BY (If other than Item 6) CODE <b>Not Applicable.</b>	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)  <b>To All Offerors/Bidders.</b>			(✓)	9A. AMENDMENT OF SOLICITATION NO. <b>PR-R7-03-10050</b>
			✓	9B. DATED (SEE ITEM 11) <b>04/07/03</b>
				10A. MODIFICATION OF CONTRACT/ORDER NO.
				10B. DATED (SEE ITEM 13)
CODE	FACILITY CODE			

# 11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended, ☒ is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:  
(a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

# 12. ACCOUNTING AND APPROPRIATION DATA (If required)

# 13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.


(✓)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not, ☐ is required to sign this document and return \_\_\_\_\_ copies to the issuing office.

# 14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

**This amendment clarifies the requirements stipulated in Clause L-11, Fill Material Certification and Test Results.**

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) <b>Paul D. Anthamatten</b>	
15B. CONTRACTOR/OFFEROR   (Signature of person authorized to sign)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA  (Signature of Contracting Officer)	16C. DATE SIGNED <b>April 24, 2003</b>

NSN 7540-01-152-8070  
PREVIOUS EDITION UNUSABLE

30-105

STANDARD FORM 30 (REV 10-83)  
Prescribed by GSA  
FAR (48 CFR) 52.243

**AMENDMENT 2 TO SOLICITATION PR-R7-03-10050**

Modify Paragraph L-11, Fill Material Certification, by incorporating the changes illustrated below:

**L.11 Fill Material Certification and Test Results**

(a) Bidders shall provide physical analysis results, from testing of each borrow site, showing conformance with the requirements of Section 2300 paragraphs 2.1.C and 2.1.D of the specifications. Test results are to be submitted with bid package.

~~(a) Bidders are to certify that the fill material they are proposing to use at the site meets or exceeds the requirements of the Project Specifications for Groundwater Circulation Well Treatment Systems and Soil Cap (specifications are attached to this IFB), paragraphs 2300 2.1 A. and B. This certification shall include soil test data that documents conformance with the Specifications and shall be provided with the Bid. For clarity, the text of that paragraph is provided as follows:~~

2300 2.1

~~A C.~~ Acceptable organic content range: 2 to 10% (as determined by ASTM D2974)

~~B D.~~ Fill soils must meet the following grain size distribution:

US Sieve No.	% Passing
	Minimum Maximum
2 in.	100 - -
¾ in.	95 100
200	30 40

(b) Bidders are to also provide the certification described in the specifications per 2300 3.1.A. with their bid. For clarity, the text of that paragraph is provided as follows:

2300 3.1.

A. The CONTRACTOR shall provide a written, notarized certification from the landowner of each proposed off-site soil borrow source stating its location and that to the best of the landowner's knowledge and belief there has never been contamination of the borrow source site with hazardous or toxic materials. The certification shall be furnished in the bid package, and shall include detailed historical information on past borrow source site use.